

From:

(b)(6) (b)(7)(c)

To:

Cc:

Bcc:

Subject: Re: Perimeter Fence for (b)(7)(E) Towers

Date: Mon Feb 23 2015 14:06:44 EST

Attachments:

Wow! We need to get with BP.

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 01:55 PM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

We recently coordinated the deployment of these (b)(7)(E) towers closely with the Superintendent of (b)(7)(E) the Superintendent wanted to make sure we were not going to excavate or grade any of the areas. BP offered the attached proposed fencing initially

(b) (5)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 10:41 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Thanks. It was a suggestion. I agree that we need to narrow this down.

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 1:37 PM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: FW: Perimeter Fence for (b)(7)(E) Towers
Importance: High

(b) (5), (b) (7)(E)

I added (b)(6) (b)(7)(c) to this email.

Thanks,

(b)(6) (b)(7)(c)

PMO Deputy Director
Border Patrol Facilities and Tactical Infrastructure Program Management Office
Facilities Management & Engineering

Office of Administration
U.S. Customs and Border Protection
24000 Avila Road
(b)(6) (b)(7)(c)
Laguna Niguel, CA 92677

(b)(6) (b)(7)(c) Laguna Niguel Office

(b)(6) (b)(7)(c) D.C. Office
(b)(6) (b)(7)(c) fax
(b)(6) (b)(7)(c) cell

(b)(6) (b)(7)(c)

"Excel as a trusted strategic partner enhancing Border Patrol's Proud Legacy"

(This message is for the designated recipient only and may contain privileged, proprietary, or otherwise private information. If you have received it in error, please notify the sender immediately and delete the original. Any other use of the email by you is prohibited.)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 10:22 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: FW: Perimeter Fence for (b)(7)(E) Towers

Importance: High

Gents:

Please read the email below and the attached. OBP has asked to see if we can provide fence security for (b)(7)(E) AOR.

The standard attached can be modified to be some less cumbersome.

(b) (5), (b)(6); (b)(7)(C)

(b)(6) (b)(7)(C) and (b)(6) (b)(7)(C), same question. If you can ask your TI coordinators that would be helpful as well.

Please let me know today.

Call me with any questions.

Thank you,

(b)(6) (b)(7)(C)

From: (b)(6) (b)(7)(C)
Sent: Monday, February 23, 2015 12:45 PM

To: (b)(6) (b)(7)(C)

Cc: (b)(6) (b)(7)(C)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Attached is the fence that we are installing at (b)(7)(E) new sites.

(b)(6) (b)(7)(c)

SME, TI Division

LMI Government Consulting

Border Patrol Facilities & Tactical Infrastructure

Program Management Office

Facilities Management & Engineering

U.S. Customs and Border Protection

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c) (Preferred)

Email: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 11:42 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c):

Yes. I'll get you that standard.

(b) (5), (b)(6); (b)(7)(C)

I'll be back to you shortly with the check from our side.

Call me with any questions.

Regards,

(b)(6) (b)(7)(F)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 11:33 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: RE: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(F)

Please provide the SBInet standard for fencing. I think that will be helpful. Could you elaborate on the statement below (b) (5)

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief
U.S. Border Patrol Headquarters
Strategic Planning and Analysis Directorate
Operational Requirements Management Division
Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 11:06 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(F)

I checked into this requirement.

(b) (5)

Let me know how you wish to proceed.

Call me with any questions.

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 09:02 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c)

(b) (5), (b) (7)(E)

Please advise if you need anything additional at this point.

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief

U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate

Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

From:

To:

Cc:

Bcc:

Subject: Re: Perimeter Fence for (b)(7)(E) Towers

Date: Mon Feb 23 2015 14:06:07 EST

Attachments:

Count me in!!

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 02:02 PM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

(b) (5)
waffles?

Anyone up for Belgium

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 10:56 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

We recently coordinated the deployment of these (b)(7)(E) towers closely with the Superintendent of (b)(7)(E) the Superintendent wanted to make sure we were not going to excavate or grade any of the areas. BP offered the attached proposed fencing initially (b) (5)

(b) (5)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 10:41 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Thanks. It was a suggestion. I agree that we need to narrow this down.

From: (b)(6)
Sent: Monday, February 23, 2015 1:37 PM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: FW: Perimeter Fence for (b)(7)(E) Towers
Importance: High

(b) (5), (b) (7)(E)

I added (b)(6) (b)(7)(c) to this email.

Thanks,

(b)(6) (b)(7)(c)

PMO Deputy Director
Border Patrol Facilities and Tactical Infrastructure Program Management Office
Facilities Management & Engineering

Office of Administration
U.S. Customs and Border Protection
24000 Avila Road
(b)(6) (b)(7)(c)
Laguna Niguel, CA 92677

(b)(6) (b)(7)(c) Laguna Niguel Office

(b)(6) (b)(7)(c) D.C. Office
fax
cell

(b)(6) (b)(7)(c)

"Excel as a trusted strategic partner enhancing Border Patrol's Proud Legacy"

(This message is for the designated recipient only and may contain privileged, proprietary, or otherwise private information. If you have received it in error, please notify the sender immediately and delete the original. Any other use of the email by you is prohibited.)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 10:22 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: FW: Perimeter Fence for (b)(7)(E) Towers
Importance: High

Gents:

Please read the email below and the attached. OBP has asked to see if we can provide fence security for (b)(7)(E) AOR.

The standard attached can be modified to be some less cumbersome.

(b) (5), (b)(6); (b)(7)(C)

(b)(6) (b)(7)(c) and (b)(6) (b)(7)(c), same question. If you can ask your TI coordinators that would be helpful as well.

Please let me know today.

Call me with any questions.

Thank you,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 12:45 PM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Attached is the fence that we are installing at (b)(7)(E) new sites.

(b)(6) (b)(7)(c)

SME, TI Division

LMI Government Consulting

Border Patrol Facilities & Tactical Infrastructure

Program Management Office

Facilities Management & Engineering

U.S. Customs and Border Protection

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c) (Preferred)

Email: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 11:42 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c):

Yes. I'll get you that standard.

(b) (5), (b)(6); (b)(7)(C)

(b) (5), (b)(6); (b)(7)(C)

I'll be back to you shortly with the check from our side.

Call me with any questions.

Regards,

(b)(6) (b)(7)(C)

From: (b)(6) (b)(7)(C)

Sent: Monday, February 23, 2015 11:33 AM

To: (b)(6) (b)(7)(C)

Cc: (b)(6) (b)(7)(C)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(C)

Please provide the SBInet standard for fencing. I think that will be helpful. Could you elaborate on the statement below (b) (5)

Thanks,

(b)(6) (b)(7)(C)

Assistant Chief

U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate

Operational Requirements Management Division

Office: (b)(6) (b)(7)(C) | Cell: (b)(6) (b)(7)(C)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 11:06 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c)

I checked into this requirement.

(b) (5)

Let me know how you wish to proceed.

Call me with any questions.

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 09:02 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c)

(b) (5), (b) (7)(E)

Please advise if you
need anything additional at this point.

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief

U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate

Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

From:

To:

Cc:

(b)(6) (b)(7)(c)

Bcc:

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Date: Mon Feb 23 2015 13:55:48 EST

Attachments: (b) (7)(E) Price Sheets 2014-11-01.pdf

We recently coordinated the deployment of these (b)(7)(E) towers closely with the Superintendent of (b)(7)(E) the Superintendent wanted to make sure we were not going to excavate or grade any of the areas. BP offered the attached proposed fencing initially

(b) (5), (b) (7)(E)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 10:41 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Thanks. It was a suggestion. I agree that we need to narrow this down.

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 1:37 PM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: FW: Perimeter Fence for (b)(7)(E) Towers

Importance: High

(b) (5), (b) (7)(E)

I added [REDACTED] to this email.

Thanks,

(b)(6) (b)(7)(c)

PMO Deputy Director
Border Patrol Facilities and Tactical Infrastructure Program Management Office
Facilities Management & Engineering

Office of Administration
U.S. Customs and Border Protection
24000 Avila Road
(b)(6) (b)(7)(c)
Laguna Niguel, CA 92677

(b)(6) (b)(7)(c) Laguna Niguel Office

(b)(6) (b)(7)(c) D.C. Office
[REDACTED] fax
[REDACTED] cell

(b)(6) (b)(7)(c)

"Excel as a trusted strategic partner enhancing Border Patrol's Proud Legacy"

(This message is for the designated recipient only and may contain privileged, proprietary, or otherwise private information. If you have received it in error, please notify the sender immediately and delete the original. Any other use of the email by you is prohibited.)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 10:22 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: FW: Perimeter Fence for (b)(7)(E) Towers
Importance: High

Gents:

Please read the email below and the attached. OBP has asked to see if we can provide fence security for (b)(7)(E) AOR.

The standard attached can be modified to be some less cumbersome.

(b) (5), (b)(6); (b)(7)(C)

(b)(6) (b)(7)(C) and (b)(6) (b)(7)(C), same question. If you can ask your TI coordinators that would be helpful as well.

Please let me know today.

Call me with any questions.

Thank you,

(b)(6) (b)(7)(C)

From: (b)(6) (b)(7)(C)
Sent: Monday, February 23, 2015 12:45 PM
To: (b)(6) (b)(7)(C)
Cc: (b)(6) (b)(7)(C)
Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Attached is the fence that we are installing at (b)(7)(E) new sites.

(b)(6) (b)(7)(C)

SME, TI Division

LMI Government Consulting

Border Patrol Facilities & Tactical Infrastructure

Program Management Office

Facilities Management & Engineering

U.S. Customs and Border Protection

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c) (Preferred)

Email: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 11:42 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c):

Yes. I'll get you that standard.

(b) (5), (b)(6); (b)(7)(C)

I'll be back to you shortly with the check from our side.

Call me with any questions.

Regards,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 11:33 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(C)

Please provide the SBInet standard for fencing. I think that will be helpful. Could you elaborate on the statement below (b) (5)

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief

U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate

Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 11:06 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(C)

I checked into this requirement.

(b) (5)

Let me know how you wish to proceed.

Call me with any questions.

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 09:02 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c),

(b) (5), (b) (7)(E)

Please advise if you need anything additional at this point.

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief

U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate

Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

(b) (4), (b) (7)(E)



(b) (4), (b) (7)(E)



(b) (4), (b) (7)(E)



From:

To:

Cc:

Bcc:

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Date: Mon Feb 23 2015 13:48:54 EST

Attachments:

(b)(6) (b)(7)(c)

How about I get us all on the phone..

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 1:40 PM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

(b) (5), (b)(6); (b)(7)(C), (b) (7)(E)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 10:34 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c) (b) (5), (b) (7)(E)

(b)(6) (b)(7)(c) Branch Chief, Laguna Facilities

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 10:21 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: FW: Perimeter Fence for (b)(7)(E) Towers

Gents:

Please read the email below and the attached. OBP has asked to see if we can provide fence security for (b)(7)(E) AOR.

The standard attached can be modified to be some less cumbersome.

(b) (5), (b)(6); (b)(7)(C)

(b)(6) (b)(7)(c) and (b)(6) (b)(7)(c), same question. If you can ask your TI coordinators that would be helpful as well.

Please let me know today.

Call me with any questions.

Thank you,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 12:45 PM

To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Attached is the fence that we are installing at (b)(7)(E) new sites.

(b)(6) (b)(7)(c)

SME, TI Division

LMI Government Consulting

Border Patrol Facilities & Tactical Infrastructure

Program Management Office

Facilities Management & Engineering

U.S. Customs and Border Protection

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c) (Preferred)

Email: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 11:42 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c):

Yes. I'll get you that standard.

(b) (5), (b)(6); (b)(7)(C)

(b) (5), (b)(6); (b)(7)(C)

I'll be back to you shortly with the check from our side.

Call me with any questions.

Regards,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 11:33 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c)

Please provide the SBInet standard for fencing. I think that will be helpful. Could you elaborate on the statement below (b) (5)

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief

U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate

Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 11:06 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c)

I checked into this requirement.

(b) (5)

Let me know how you wish to proceed.

Call me with any questions.

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 09:02 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c)

(b) (5), (b) (7)(E)

Please advise if you need anything additional at this point.

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief

U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate

Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

From:

(b)(6) (b)(7)(c)

To:

Cc:

Bcc:

Subject: FW: Perimeter Fence for (b)(7)(E) Towers

Date: Mon Feb 23 2015 13:37:29 EST

Attachments: fence.pdf

(b) (5), (b) (7)(F)

I added to this email.

Thanks,

(b)(6) (b)(7)(c)

PMO Deputy Director
Border Patrol Facilities and Tactical Infrastructure Program Management Office
Facilities Management & Engineering

Office of Administration
U.S. Customs and Border Protection
24000 Avila Road
(b)(6) (b)(7)(c)
Laguna Niguel, CA 92677

(b)(6) (b)(7)(c) Laguna Niguel Office

(b)(6) (b)(7)(c) D.C. Office
fax
cell

(b)(6) (b)(7)(c)

"Excel as a trusted strategic partner enhancing Border Patrol's Proud Legacy"

(This message is for the designated recipient only and may contain privileged, proprietary, or otherwise private information. If you have received it in error, please notify the sender immediately and delete the original. Any other use of the email by you is prohibited.)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 10:22 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: FW: Perimeter Fence for (b)(7)(E) Towers
Importance: High

Gents:

Please read the email below and the attached. OBP has asked to see if we can provide fence security for (b)(7)(E) AOR.

The standard attached can be modified to be some less cumbersome.

(b) (5), (b)(6); (b)(7)(C)

(b)(6) (b)(7)(c) and (b)(6) (b)(7)(c), same question. If you can ask your TI coordinators that would be helpful as well.

Please let me know today.

Call me with any questions.

Thank you,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 12:45 PM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Attached is the fence that we are installing at (b)(7)(E) new sites.

(b)(6) (b)(7)(c)

SME, TI Division

LMI Government Consulting

Border Patrol Facilities & Tactical Infrastructure

Program Management Office

Facilities Management & Engineering

U.S. Customs and Border Protection

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c) (Preferred)

Email: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 11:42 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c):

Yes. I'll get you that standard.

(b) (5), (b)(6); (b)(7)(C)

(b)(7)(E)

I'll be back to you shortly with the check from our side.

Call me with any questions.

Regards,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 11:33 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c)

Please provide the SBInet standard for fencing. I think that will be helpful. Could you elaborate on the statement below (b) (5)

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief

U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate

Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

From: [REDACTED]
Sent: Monday, February 23, 2015 11:06 AM
To: (b)(6) (b)(7)(c)
Cc: [REDACTED] (b)(6) (b)(7)(c)
Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c)

I checked into this requirement.

(b) (5)

Let me know how you wish to proceed.

Call me with any questions.

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 09:02 AM
To: (b)(6) (b)(7)(c)
Cc: [REDACTED] (b)(6) (b)(7)(c)
Subject: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c)

(b) (5), (b) (7)(E)

Please advise if you
need anything additional at this point.

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief


U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate


Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

(b) (5), (b) (7)(E)



(b) (5), (b) (7)(E)



From:

To:

Cc:

Bcc:

Subject: FW: Perimeter Fence for (b)(7)(E) Towers

Date: Mon Feb 23 2015 13:21:55 EST

Attachments: fence.pdf

Gents:

Please read the email below and the attached. OBP has asked to see if we can provide fence security for (b)(7)(E) AOR.

The standard attached can be modified to be some less cumbersome.

(b) (5), (b)(6); (b)(7)(C)

(b)(6) (b)(7)(C) and (b)(6) (b)(7)(C), same question. If you can ask your TI coordinators that would be helpful as well.

Please let me know today.

Call me with any questions.

Thank you,

(b)(6) (b)(7)(C)

From: (b) (6), (b) (7)(C)
Sent: Monday, February 23, 2015 12:45 PM
To: (b) (6), (b) (7)(C)
Cc: (b) (6), (b) (7)(C)
Subject: RE: Perimeter Fence for (b)(7)(E) Towers

Attached is the fence that we are installing at (b)(7)(E) new sites.

(b)(6) (b)(7)(c)

SME, TI Division

LMI Government Consulting

Border Patrol Facilities & Tactical Infrastructure

Program Management Office

Facilities Management & Engineering

U.S. Customs and Border Protection

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c) (Preferred)

Email: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 23, 2015 11:42 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c):

Yes. I'll get you that standard.

(b) (5), (b)(6); (b)(7)(C)

I'll be back to you shortly with the check from our side.

Call me with any questions.

Regards,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 11:33 AM

To: (b) (6), (b) (7)(C)

Cc: (b) (6), (b) (7)(C)

(b) (6), (b) (7)(C)

Subject: RE: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c),

Please provide the SBInet standard for fencing. I think that will be helpful. Could you elaborate on the statement below (b) (5)

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief

U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate

Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 11:06 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Re: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c):

I checked into this requirement.

(b) (5)

Let me know how you wish to proceed.

Call me with any questions.

From: (b)(6) (b)(7)(c)

Sent: Monday, February 23, 2015 09:02 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Perimeter Fence for (b)(7)(E) Towers

(b)(6) (b)(7)(c),

(b) (5), (b) (7)(E)

Please advise if you need anything additional at this point.

Thanks,

(b)(6) (b)(7)(c)

Assistant Chief


U.S. Border Patrol Headquarters

Strategic Planning and Analysis Directorate


Operational Requirements Management Division

Office: (b)(6) (b)(7)(c) | Cell: (b)(6) (b)(7)(c)

(b) (5), (b) (7)(E)



(b) (5), (b) (7)(E)



From:

(b)(6) (b)(7)(c)

To:

Cc:

Bcc:

Subject:

FW: Need to notify no climb

Date:

Sat Feb 21 2015 09:14:37 EST

Attachments:

Parsons Report Summary. (1).msg

(b)(7)(E) MR_20150204.docx

RE: RGV (b)(7)(E) Upgrade Infrastructure Planning Working Group (2).msg

RGV- (b)(7)(E) STATION - SA Report.pdf

Station towers SV Trip Report_20150213.pdf

Gents:

Just sharing the continuing growth of what we are finding with the (b)(7)(E) towers.

(b) (5)

Anyway, just providing some visibility into the fantastic work that (b)(6) (b)(7)(c) and (b)(6) (b)(7)(c) are performing on our behalf.

Regards,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Friday, February 20, 2015 9:48 PM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: Need to notify no climb
Importance: High

(b)(6) (b)(7)(c) and (b)(6) (b)(7)(c)

(b) (5), (b) (7)(E)

Attached is the emails from (b)(7)(E) station towers.

From OSHA -

1910.268(n)(4)

Unsafe poles or structures. Poles or structures determined to be unsafe by test or observation may not be climbed until made safe by guying, bracing or other adequate means. Poles determined to be unsafe to climb shall, until they are made safe, be tagged in a conspicuous place to alert and warn all employees of the unsafe condition.

BLM (see example below) (b)(7)(E)

Example: BLM standards -

http://www.blm.gov/style/medialib/blm/wo/Information_Resources_Management/policy/im_attachments/2006.Par.79069.File.dat/im2006-078attach1.pdf

C. Tower climbers shall only climb towers certified by the manufacturer to meet the Telecommunications Industry Association/Electronic Industries Association (TIA/EIA) 222 for tower construction and 29 CFR 1910.66 Appendix C for anchorages. Towers that do not meet these standards will be red-tagged as "Do Not Climb!" until they are retrofitted or replaced with towers that meet these standards. Service can be accomplished by other methods (i.e. aerial devices, etc.).

(b)(6) (b)(7)(c)

SME, TI Division

LMI Government Consulting

Border Patrol Facilities & Tactical Infrastructure

Program Management Office

Facilities Management & Engineering

U.S. Customs and Border Protection

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c) (Preferred)

Email: (b)(6) (b)(7)(c)

From:

To:

Cc:

Bcc:

Subject: Fw: Excess stored PF225/VF300 steel

Date: Tue Feb 17 2015 17:30:47 EST

Attachments:

FYI

Thanks,

(b)(6) (b)(7)(c)

PMO Deputy Director

Border Patrol Facilities and Tactical Infrastructure Program Management Office
Facilities Management & Engineering
Office of Administration
U.S. Customs and Border Protection

24000 Avila Road

(b)(6) (b)(7)(c)

Laguna Niguel, CA 92677

(b)(6) (b)(7)(c) Laguna Niguel Office

D.C. Office

fax

cell

(b)(6) (b)(7)(c)

"Excel as a trusted strategic partner enhancing Border Patrol's Proud Legacy"

(This message is for the designated recipient only and may contain privileged, proprietary, or otherwise private information. If you have received it in error, please notify the sender immediately and delete the original. Any other use of the email by you is prohibited.)

From: (b)(6) (b)(7)(c)

Sent: Tuesday, February 17, 2015 03:15 PM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: Excess stored PF225/VF300 steel

Gents

Provided below are (b)(6), (b)(7)(c) recommendations (b)(7)(E)
(b)(7)(E) for the (b)(7)(E) fence replacement project (see my earlier email regarding
(b)(7)(E)

Given the remaining material, here are my recommendations:

(b) (5)

Please let know if you have any questions or would like to discuss.

Best,

(b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

LMI

Chief Engineer, AE Services Division
Border Patrol Facilities and Tactical Infrastructure
Program Management Office
Facilities Management and Engineering
Cell (b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

Excel as a trusted strategic partner enhancing Border Patrol's proud legacy

From:

To:

Cc:

Bcc:

Subject: RE: Steel analysis

Date: Tue Feb 17 2015 13:51:58 EST

Attachments: image001.jpg

(b) (5)

From: (b)(6) (b)(7)(c)

Sent: Tuesday, February 17, 2015 11:49 AM

To: (b)(6) (b)(7)(c)

Subject: FW: Steel analysis

FYI-Please let me know if you have any questions and or how you'd like to proceed so I can advise our planning/design team tomorrow when we meet.

Best,

(b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

LMI

7940 Jones Branch Drive {new address!!}

McLean, VA 22102

Office: (b)(6) (b)(7)(c)

Cell: (b)(6) (b)(7)(c)

Complex Problems. Practical Solutions.
www.lmi.org

From: (b)(6) (b)(7)(c)
Sent: Tuesday, February 17, 2015 1:39 PM
To: (b)(6) (b)(7)(c)
Subject: Steel analysis

(b)(6) (b)(7)(c)

Attached is the quick analysis on this.

Assumptions:

(b) (5), (b) (7)(E)

NOTE: (b) (5), (b) (7)(E)

(b)(6) (b)(7)(c)

7940 Jones Branch Drive,

Tysons, VA 22102

(b)(6) (b)(7)(c)P

Complex Problems. Practical Solutions.
www.lmi.org

From:
To:

(b)(6) (b)(7)(c)

Cc:
Bcc:
Subject: FW: Steel analysis
Date: Tue Feb 17 2015 13:48:32 EST
Attachments: image003.jpg
(b)(7)(E) steel analysis.xlsx

FYI-Please let me know if you have any questions and or how you'd like to proceed so I can advise our planning/design team tomorrow when we meet.

Best,

(b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

LMI
7940 Jones Branch Drive {new address!!}
McLean, VA 22102
Office: (b)(6) (b)(7)(c)

Cell: (b)(6) (b)(7)(c)

Complex Problems. Practical Solutions.
www.lmi.org

From: (b)(6) (b)(7)(c)
Sent: Tuesday, February 17, 2015 1:39 PM
To: (b)(6) (b)(7)(c)
Subject: Steel analysis

(b)(6) (b)(7)(c)

Attached is the quick analysis on this.

Assumptions:

(b) (5), (b) (7)(E)



NOTE: (b) (5), (b) (7)(E)

(b)(6) (b)(7)(c)

7940 Jones Branch Drive,

Tysons, VA 22102

(b)(6) (b)(7)(c) P

Complex Problems. Practical Solutions.
www.lmi.org

AS IS

pcs/truck Trucks

(b)(7)(E)

Total Miles

(b)(7)(E)

Total Trucks

(b)(7)(E)

(b) (5), (b) (7)(E)



From:

To:

Cc:

(b)(6) (b)(7)(c)

Bcc:

Subject: RE: (b)(7)(E) Secondary Fence Schedule

Date: Tue Feb 17 2015 11:03:06 EST

Attachments:

Yes it is. I am sorry that I was not able to provide all the data.

This is a BP requirement to build a secondary fence behind the primary fence by (b)(7)(E)

This was approved as a project thru our PRD process and we are using Government labor to perform the work.

My only question is (b) (5)

(b) (5)

Again, just covering the bases.

From: (b)(6) (b)(7)(c)
Sent: Tuesday, February 17, 2015 10:42 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: RE: (b)(7)(E) Secondary Fence Schedule

(b)(6) (b)(7)(c) and all-

(b) (5)

Thanks-

(b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

Senior Attorney

Office of Assistant Chief Counsel, Indianapolis

Customs and Border Protection

ph. (b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

This communication might contain communications between attorney and client, communications that

are part of the agency deliberative process, or attorney-work product, all of which are privileged and not subject to disclosure outside the agency or to the public. Please consult with the Office of Assistant Chief Counsel-Indianapolis, U.S. Customs and Border Protection before disclosing any information contained in this email.

From: (b)(6) (b)(7)(c)
Sent: Tuesday, February 17, 2015 10:25 AM
To: (b)(6) (b)(7)(c)
Cc: (b)(6) (b)(7)(c)
Subject: FW: (b)(7)(E) Secondary Fence Schedule

Gents:

(b) (5)

Let me know if you need details to help understand and provide guidance.

I'll forward pictures next...

Regards,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Tuesday, February 17, 2015 10:19 AM
To: (b)(6) (b)(7)(c); (b)(6)
Cc: (b)(6) (b)(7)(c)
Subject: RE: (b)(7)(E) Secondary Fence Schedule

Probably a good question for OCC. Outside my area of expertise. Thanks

From: (b)(6) (b)(7)(c)
Sent: Tuesday, February 17, 2015 10:18 AM
To: (b)(6) (b)(7)(c) (b)(6)
Cc: (b)(6) (b)(7)(c)
Subject: RE: (b)(7)(E) Secondary Fence Schedule

Ok. (b) (5)

Just wondering...

From: (b)(6) (b)(7)(c)
Sent: Tuesday, February 17, 2015 10:01 AM
To: (b)(6) (b)(7)(c) (b)(6)
Cc: (b)(6) (b)(7)(c)
Subject: RE: (b)(7)(E) Secondary Fence Schedule

(b)(6) (b)(7)(c) (b) (5)
I plan to visit the site tomorrow when in (b)(7)(E) and again next month when I return for Zone (b)(7)(E).
I let everyone know if I see anything that concerns me.

Best,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)
Sent: Monday, February 16, 2015 6:07 PM
To: (b)(6) (b)(7)(c) (b)(6)
Cc: (b)(6) (b)(7)(c)
Subject: Fw: (b)(7)(E) Secondary Fence Schedule

(b)(6) (b)(7)(c) and (b)(6):

(b) (5)

(b) (5)

Just trying to get a better feel on how this will be closed out as a project.

Regards,

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Friday, February 13, 2015 06:15 PM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: (b)(7)(E) Secondary Fence Schedule

Thanks!

I out of the office today, but I will take care of this on Tuesday. I hope this does not cause you a delay. Apologies in advance.

Regards,

(b)(6) (b)(7)(c)

Sr. Program Management Consultant (Scheduling)

Business Operations Division

E3 Federal Solutions, LLC

Border Patrol Facilities and Tactical Infrastructure

Program Management Office

Facilities Management and Engineering

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Friday, February 13, 2015 12:00 PM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: FW: (b)(7)(E) Secondary Fence Schedule

(b)(6) (b)(7)(C) I received some hard dates on the project now that we have some work behind us. Please adjust/add changes and return the schedule based on the following. Construction is not being accomplished in sections (b)(7)(E) as stated on the original schedule sent:

Preparation of site and materials 20 Jan (start date) until 6 Feb.

Boring of post holes and trenching was is being performed simultaneously 2 Feb to 20 Feb (1st concrete pour was on the 10th).

Setting of poles and concrete pouring began on 5 Feb and is continuing on through 6 Mar

Installation (erection) of mesh fence panels, (b) (7)(E) (b)(7)(E) and remaining concrete pour is 3 Mar to 24 Mar.

Bolting all panels to each other and securing the panels (b)(7)(E) will be from 16 Mar to 30 Mar (construction complete).

Punch list completion 3 Apr

Final Inspection 4 April

BOD

Closeout

Please feel free to call me if you have any questions.

Thank you (b)(6) (b)(7)

(b)(6) (b)(7)(C)

Program Manager/COR, TI Division

Border Patrol Facilities and Tactical Infrastructure

Program Management Office

Facilities Management and Engineering

Office: (b)(6) (b)(7)(C)

Mobile: (b)(6) (b)(7)(C)

(b)(6) (b)(7)(C)

Excel as a trusted strategic partner enhancing Border Patrol's proud legacy.

This e-mail, including any attached files, may contain confidential and privileged information for the sole use of the intended recipient. Any review, use, distribution, or disclosure by others is strictly prohibited. If you are not the intended recipient (or authorized to receive information for the intended recipient), please contact the sender by reply e-mail and delete all copies of this message.

From: (b)(6) (b)(7)(C)

Sent: Tuesday, January 13, 2015 2:14 PM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: RE: (b)(7)(E) Secondary Fence Schedule

<< File (b)(7)(E) Secondary Fence 2.pdf >> << File: (b)(7)(E) Status Worksheet.xlsx >>

Attached is a PDF of the schedule and a schedule status worksheet. I adjusted the schedule based on the information in your e-mail. Based on a January 20 Construction start the project should finish sometime in April. I do not have status on the predecessor tasks. So I included the schedule status worksheet for your use. Please fill in estimated forecast or actual dates the cells highlighted in yellow. Don't worry I will know which is which. If you have questions on how to complete or what I am looking for please call me at (b)(6) (b)(7)(c). Also don't worry about the total float I can correct that later. If there are changes on the construction part of the schedule, it is best to call and discuss. Thanks.

Regards,

(b)(6) (b)(7)(c)

Sr. Program Management Consultant (Scheduling)

Business Operations Division

E3 Federal Solutions, LLC

Border Patrol Facilities and Tactical Infrastructure

Program Management Office

Facilities Management and Engineering

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

From: (b)(6) (b)(7)(c)

Sent: Tuesday, January 13, 2015 1:22 PM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: FW: (b)(7)(E) Secondary Fence Schedule

(b)(6) (b)(7)(c),

We have determined a start date for the (b)(7)(E) secondary fence project here in Tucson. I was hoping you could assist me in adjusting the times to fall within what we originally intended when we had the start date of 1 Oct 2014. We are having a pre-con 9AM MST this Thursday and a start date of 20 January. Let me know if you require anything else from me on getting this project going.

(b)(6) (b)(7)(c) I also need you to look at the schedule as well and determine if you are comfortable with the

milestones.

Thank you again for your help << File: (b)(7)(E)Secondary Fence R2.pdf >> << Message: FW: (b)(7)(E)Secondary Fence: Wage Grade Logistics / Schedule Notes >>

(b)(6) (b)(7)(c)

Program Manager/COR, TI Division

Border Patrol Facilities and Tactical Infrastructure

Program Management Office

Facilities Management and Engineering

Office: (b)(6) (b)(7)(c)

Mobile: (b)(6) (b)(7)(c)

(b)(6) (b)(7)(c)

Excel as a trusted strategic partner enhancing Border Patrol's proud legacy.

This e-mail, including any attached files, may contain confidential and privileged information for the sole use of the intended recipient. Any review, use, distribution, or disclosure by others is strictly prohibited. If you are not the intended recipient (or authorized to receive information for the intended recipient), please contact the sender by reply e-mail and delete all copies of this message.

From: (b)(6) (b)(7)(c)

Sent: Wednesday, August 06, 2014 7:37 AM

To: (b)(6) (b)(7)(c)

Cc: (b)(6) (b)(7)(c)

Subject: (b)(7)(E)Secondary Fence Schedule

(b)(6) (b)(7)(c),

As I mentioned on our call today, attached is what the (b)(7)(E)Secondary Fence Project is tracking to right now. I am trying to get the procurement pushed through, so that is the long pole in the tent, as well as ensuring all of the Wage Grade Logistics are in place. We will continue to update if anything changes. Please let me know if you have any questions.

<< File: (b)(7)(E)Secondary Fence R2.pdf >>

Thanks,

(b)(6) (b)(7)(c)